

MUSKOGEE

County, Oklahoma

COUNTY PURCHASING OFFICE

400 W BROADWAY, SUITE 110

MUSKOGEE, OKLAHOMA 74401

Phone Number (918) 682-2169

Invitation to Bid

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE
RELATING TO SUBMISSION OF THIS BID.
Notarized Affidavit completions and signature required on reverse side.

Date Issued May 17, 2023

Page 1 of 14

BID NUMBER

70

BID CLOSING DATE AND HOUR

06/05/2023 9:30am

REQUIRED DELIVERY DATE

(Days after award of Purchase Order)

Date of Delivery**TERMS**

--	--

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
			<p>Bid for Muskogee County</p> <p>6 month bid from July 1, 2023 to December 31, 2023</p> <p>Bid #70 MUST be on the outside of the envelope.</p> <p>If you have any questions please feel free to contact Polly Irving, Muskogee County Clerk 918-682-2169</p>		

TERMS and CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, 400 W BROADWAY, SUITE 010
MUSKOGEE, Oklahoma, at the time and date shown on the
invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by MUSKOGEE County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until 06/05/2023 (Date) 9:30am

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say the he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _____ day

of _____, 20____ (SEAL)

Firm: _____

My commission expires _____

Signed by: _____

(Manual Signature of Undersigned)

Address: _____

Phone: _____

NOTARY PUBLIC (CLERK OR JUDGE)

Zip: _____

In accordance with 62 O.S. § 310.9

NOTE: Other terms and conditions can be added at the discretion of the county officers.

Six Months Bid List

District #1 (North Street - Muskogee)

- *Braggs Area*
- *Ft. Gibson Area*
- *Oktaha Area*
- *Keefeton Area*

District #2 (South Cherokee Street - Muskogee)

- *Webbers Falls Area*
- *Porum and Briartown Area*
- *Warner Area*
- *Keefeton Area*

District #3 (74th Street - Muskogee)

- *Haskell Area*
- *Boynton Area*

Gravel:

- **Crusher Run – listed sizes:**
 - 1/2“
 - 3/4”
 - 5/8”
 - 1”
 - 1 1/2”
 - 2”
 - 2 1/2”
 - 4”
 - 5”

Chips – listed sizes:

- 1/2”
- 3/4”
- 5/8”
- 3/8”
- Screenings (all sizes)
- Roofing Gravel
- Over Size Gravel
- Lateral Gravel
- Pit Run Gravel
- Quarry Run Stone w/fines
- Rip Rap
- Surge Rock (small rip-rap)
- Gabion Rock
- Grizzly (3-4”)
- Grizzly (4-6”)

- 3-1 Oversize
- Broken Brick

Crusher Clean Up

Shale

Filter

1/2"

3/4"

2"

3 1/2"

4"

Sand

- Filler Sand
- Concrete Sand

3/4" to 3/8" Cover Aggregate

3/8" to 1/2" Cover Aggregate

5/8" Cover Aggregate

1 1/2" Class A Concrete Aggregate

#57 Concrete Rock

#67 Concrete Rock

3/8" to 1/2" Cover Aggregate

4-6" Construction Rock

1 1/2" to 3/8" Concrete Gravel

3/4" Concrete Gravel

Concrete Rock (1" & down)

River Gravel

4" Bedding Rock

1/2" to 1/8" Cover

#3 Cover Material

2 1/2" Base Rock

3/4" Asphalt Rock

1/2" Asphalt Rock

QRP 2000 Asphalt

1 1/4" SABC

3/4" TBSC

1 1/2" Septic Gravel

1 1/2" C/A

Field Dirt

Sandstone

Hot Mix Hot Lay Asphalt Concrete

Hot Mix Cold Lay Asphalt Concrete

Type B Surface Course

Type C Surface Course

Revised: May 17, 2023

Asphalt Haul (Bid per ton hauled and per ton laid)
Minimum Haul
Asphalt Laid only

Asphalt Testing – ODOT approved mixes only (SEE EXHIBIT A)

Hauling of Road Materials

Hauling Asphalt per District

Asphalt only (per ton)

District # 1

District # 2

District # 3

Asphalt + Hauled to Work Site

District # 1

District # 2

District # 3

Asphalt Hauled and laid in place

District # 1

District # 2

District # 3

Hauling Per District to Barn's Stockpile

10-Wheeler

District # 1

District # 2

District # 3

Dump Trailer

District # 1

District # 2

District # 3

End Dump Bed

District # 1

District # 2

District # 3

Belly Dump Bed

District # 1

District # 2

District # 3

Hauling to Work Site per District

10-Wheeler
District # 1
District # 2
District # 3

Dump Trailer
District # 1
District # 2
District # 3

End Dump Bed
District # 1
District # 2
District # 3

Belly Dump Bed
District # 1
District # 2
District # 3

Note: Each item that a bid is submitted on needs to be priced per location delivered and pick up price for each District.

Road Signs (All Sizes)

Reflectors (Aluminum and Plastic Back)
Window Markers

Sign Post (U Posts)

T Posts

Barbed Wire

Fence Building – 5 wire barbed wire – Labor only – per foot

Fence Building – 5 wire barbed wire – Turn Key – per foot

Road Striping (All Districts)

Used Steel Pipe (All Sizes)

New Steel Pipe (All Sizes)

Arched Pipe (All Sizes) Riveted and Spiral (16 Gauge and 12 Gauge)

Culvert Pipe: (All Sizes)

- Riveted and Spiral (16 Gauge and 12 Gauge)

Corrugated Polyethylene Pipe (All Sizes) and Band Couplers

Hourly Labor to install drainage pipes

Hourly Labor to install drainage pipes (to include driveway pipes)

Box Culverts: Culvert Only – No Labor

- 6' x 4' x 6'
- 8' x 5' x 6'
- 8' x 7' x 6'
- 10 x 5' x 6'
- 10' x 8' x 6'
- 12' x 8 x 6'
- 12' x 10' x 6'

Concrete Drainage Boxes (turnkey installed)

Culvert Installed

PreCast Box (installed)

Grader Blades:

- Curved, Double
- Bevel, Pointed
- Square Ends
- Bucyrus Grader Blades

Bolts (All Sizes)

Bridge Nails and Clips

Bridge Clips

16 thru 30 Common Nails

40-50-60-70-80 Common Nails

60-70 Ring shank Nails

Rebar:

- 3/8"
- 1/2"
- 5/8"

Roundup Herbicide:

- 1 Gallon
- 5 Gallon
- 30 Gallon
- Active Ingredients: Isproluamone salt of Slyshosate 41.0%; Inert Ingredient 59.0% 4-pound active ingredients per gallon. 100 gallon minimum - 125-gallon maximum

LUMBER:

- *Lumber Shall comply to OKLAHOMA STATE STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION, 1988 EDITION*
 - Southern Yellow Pine
 - Grade #2 or better
 - CCA Treated
 - Penta Treated
 - Untreated
 - #1 Piling
 - Rough Oak
 - Douglas Fir of the Coastal Region
 - Grade Shall be #2 or better

Soil Stabilization:

- Calcium Chloride Solution
- Polymer Based Stabilizer
- Enzyme Bases Stabilizer
- Portland Stabilizer, etc.

**Liquid Calcium Chloride Solution
Oil Shot in Place**

Oil:

- MC-30-70 or RC-30
- MC-250-800-3000
- RC-250-800-3000
- AC 7.5
- SS-1, SS-1H, CRS-2
- CRS-2P
- Dust Oil....7000-gallon load
- 30/50 Crack Sealer
- CMS-1
- Partland

Concrete

Flowable Fill Concrete

Concrete Price Per Yard – no labor for:

- Low Water Bridge
- Head Walls
- Pipe Ends
- Box Culverts
- Road Patch
- Road Transitions
- Drive Ways
- Bridge Work
- Building Pads

Concrete Price Per Yard - *plus labor to lain in place for:*

- Low Water Bridge
- Head Walls
- Pipe Ends
- Box Culverts
- Road Patch
- Road Transitions
- Drive Ways
- Bridge Work
- Parking Lots

Right-of-Way Clearing - per hour - Labor & Equipment
All Districts

Fuel

Tires (All sizes)

Dozer Rental (with operator) Bid size of dozer and price per hour

Complete Tree Removal - per hour

Tree Trimming - per hour

Brush Removal - per hour

Trash Pickup

Galvanized Steel Bridge Plank:

- 6 x 2 (lays 24")
- 12 ga., .105 thickness, 6.2# weight per square foot
- 10 ga., .135 thickness, 8.0# weight per square foot
- 7 ga., .170 thickness, 10.7# weight per square foot

Black Bridge Plank 6 x 2 (Lays 24"):

- 12 ga., .105 thickness, 6.0# weight per square foot
- 10 ga., .135 thickness, 7.14\$ weight per square foot
- 7 ga., .179 thickness, 10.5# weight per square foot

Gauge 10-12: ASTM Designated A570 Grade 36, Zinc coated to class G 210 per ASTM Designated A525.

Gauge 7: ASTM Designated A570 Grade 36, Zinc-coated to ASTM A123 except that the Zinc shall be applied at a rate of 2.0 Ounces per square foot total both sides.

Laid in Place Chip Seal / Seal Coat Crack Seal all Districts

Metal Building Construction

Revised: May 17, 2023

Mowing / Brush Hog all Districts

Mowing – County Properties

Weed Eating all Districts

Weed Spraying – Districts 1 and 3 Only

Spraying – County Properties

Spraying - Road

Chainsaw / Debris Removal all Districts

Water Truck all Districts

Oil Truck all Districts

Crane service all Districts

Grade-All all Districts

Ditching

Milling Machine all Districts

Pavement Recycling

Track hoe Service all Districts

Backhoe Service all Districts

Trench Service all Districts

Skid Steer Service all Districts

Loader Service all Districts

Road Reclamation – Labor Only

Road Reclamation – Turnkey w/ soil stabilization

Asphalt Milling

Soil stabilization (product only)

Shouldering

Tanks & Half Tanks (price for tanks only and separate price for tanks turnkey installed)

Pipe / Tindhorn Cleaning

*****List Any Equipment Offered that is not listed.

All Road Materials must meet the Oklahoma Department of Transportation specifications. The Board of County Commissioners reserves the right to have all material independently tested to see if materials meet ODOT specifications. Any materials that fail to meet these specifications must be removed and replaced at the expense of the vendor.

Equipment Lease Options:

- Bomag
- Sheep's Foot Packer
- Roller
- Reclaimer, etc.

Equipment Services:

- Bomag
- Sheep's Foot Packer
- Roller
- Reclaimer, etc.

All Inclusive Wildlife Trapping Service: *Contractor shall provide the following services:*

- Year-round service regardless of weather
- County-Wide – per District
- 30 hours of service per month (10 hours per district)
- Trap any type of animals requested
- Unlimited traps
- No other set-up costs
- No per animal charges

Span Bridges

Roofing

Electrical Service

Plumbing Service

HVAC Service

Spray Foam

Overhead Doors

Pipe Jetting

Towing Services

Revised: May 17, 2023

Cleaning Services

Welding Services

Exhibit A

Proposed Muskogee County Hot Mix Asphalt (HMA) and Asphalt Paving Specifications

Hot Mix Asphalt

All aggregate and bituminous materials used in Hot Mix asphalt shall be on the ODOT qualified products list and meet the specifications in **Oklahoma Department of Transportation 2019 Standard Specifications For Highway Construction** manual.

Hot Mix asphalt plants shall be listed on the Oklahoma DOT Materials Division Hot Mix Asphalt (HMA) Plant List and be current in Inspection and Scale Certification status.

Asphalt Mix designs shall be designed by an ODOT approved lab as listed on the current ODOT Qualified Lab List.

Asphalt Mix designs shall conform to A, B, or C; HVEEM mix design methods and tested with a HVEEM compactor. Mixes will not exceed 30% Recycled Asphalt Pavement. Recycled Asphalt Pavement materials will be 100% passing the 1/2" sieve.

TABLE 1 - TABLE OF MIXTURES (Hot Mix - Hot Lay)			
Mixture:	Asphalt Concrete		
Open Graded Type:	A	B	C
Sieve Size			
1-1/2"	100		
1"	90-100		
3/4"		100	
1/2"	70-90	90-100	100
3/8"		70-90	90-100
No. 4	40-65	45-70	60-80
No. 10	25-45	25-50	35-60
No. 40	10-26	12-30	15-35
No. 80	6-18	7-20	8-22
No. 200	<10%	<10%	<10%
% Total AC	3.8-6.5	4.7-7.5	5.1-7.5
Virgin Viscosity Grade Asphalt Cement	PG-64-22	PG-64-22	PG-64-22

Hot Mix Asphalt Producers will supply the Commissioner with Quality Control results performed by an ODOT approved lab as listed on the current ODOT Qualified Lab List. Results will be supplied daily, every 1000 tons supplied, or as directed by the Commissioner.

Alternate ODOT approved HMA mixes of equal or greater performance specifications may be accepted on a case-by-case basis at the discretion of the Commissioner.

Asphalt Paving

Placing of Bituminous Surface Course: The material shall be laid only on an approved base course or pavement which has been primed or tack coated as previously specified and is reasonably free of objectionable material and only when the surface of the base course is dry and weather conditions are suitable. Contact surfaces of curbs, structures and joints shall be painted with a thin uniform coating of materials as specified for tack coat. The mixture shall be spread in a uniform layer so that after compaction the minimum cross-section will be fulfilled. Hand spreading will be permitted where the mixture is placed on narrow strips or small irregular areas.

Compaction: Rolling equipment shall be in good operating condition and of an approved type which will produce a pavement of the required density. Rolling or compaction shall continue until the compressed mixture has a density of not less than 92 percent of the laboratory compacted density for the mixture. Final compaction shall be made with steel wheel rollers. The operation of the rollers shall be such as to avoid displacement of the mixture. Adhesion of the mixture to the roller wheels will not be permitted. Necessary precautions shall be taken to prevent the dripping of gasoline, oil, grease or other foreign matter on the pavement, either when the rollers are in operation or when standing.