

Muskogee County Clerk 400 W. Broadway PO Box 1008 Muskogee, OK 74401 918-682-2169

Re: 6 Month Bid

The 6 Month Bid that was scheduled to be opened 11/27/2023 was rejected. Please resend your bid with new terms and conditions notarized. Sorry for any inconvenience this may have caused. If you have any questions, please do not hesitate to contact me.

Thank you,

Polly Irving
Office 918-682-2169
Cell 918-781-9092

1842	1-4040	(2012)

TERMS

MUSKOGEE		County, Oklahoma
COUNTY PURCHAS	ING OFFICE	MACONICOUS CONTRACTOR
400 W BROADWAY	Y, SUITE 110	
MUSKOGEE, OKLA	HOMA 74401	A Contractor
Phone Number	(918) 682-2169	Management of the Control of the Con
-		

Invitation to Bid

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE RELATING TO SUBMISSION OF THIS BID.

Notarized Affidavit completions and signature required on reverse side.

Date Issued

November 30, 2023

Page

of 13

1

BID NUMBER	BID CLOSING DATE AND HOUR	REQUIRED DELIVERY DATE	
F3 8	12/18/2023 9:30am		
		(Days after award of Purchase Order) Date of Delivery	

	TOTAL
Muskogee County Commissioners are now accepting 6 -month bids. Bids will be good through. January 2024 June 2024 Please make sure the terms and conditions are notarized. Bids MUST be time stamped at the County Clerk's office NO later than 9:30am 12/18/2023. If you have any question, please don't hesitate to contact me 918-682-2169 work, 918-781-9092 cell	TOTAL

TERMS and CONDITIONS

1	1.	Sealed bids will be open	ed in the Co	mmissioner	's Conference Ro	oom, 4	00 W BROADWAY, SUITE 010
		MU	JSKOGEE			****	, Oklahoma, at the time and date shown on the
		invitation to bid form.	************************		***************************************	***************************************	
2	2.	Late bids will not be con closing date written on t	sidered. Bid the outside o	s must be re f the envelo	eceived in sealed ope.	d envelop	pes (one to an envelope) with bid number and
3	3.	Unit prices will be guara	nteed correc	t by the bid	der.		
4	1.	Firm prices will be F.O.B.	destination.				
5	5.	Purchases by MUSKOG	EE		Cou	unty, Okl	ahoma, are not subject to state or federal taxes.
6	ś.	This bid is submitted as	a legal offer a	ınd any bid	when accepted	by the C	ounty constitutes a firm contract.
7	' .	Oklahoma laws require e of non-collusion. A form	each bidder s is supplied l	ubmitting a pelow.	a bid to a county	y for good	ds or services to furnish a notarized sworn statement
8	3.	Bids will be firm until 1	2/18/2023	(Date)	9:30am		
fi to b le	o sub reedo o qua etwe etting	omit the above bid. Affiar om of competition by agr antity; quality or price in t een bidders and any state g of a contract; that the bi	nt further state eement to bithe prospection official concider/contractions oma (or other	tes that the dat a fixed we contract erning exchet tor has not er entity) and	bidder has not be price or to refrait or any other term ange of money paid, given or other by money or other	been a pa in from b rms of sai or other donated	the he (she) is the agent authorized by the bidder arty to any collusion among bidders in restraint of bidding; or with any state official or employee as d prospective contract; or in any discussions thing of value for special consideration in the or agreed to pay, give or donate to any officer or of value, either directly or indirectly in the
Si	ubscri	ibed and sworn before this	day				
0	of		, 20	(SEAL)			
				Firm:		************	
M	ly con	nmission expires		Signed by:			
				Address:	(Manual Signature of	f Undersigned)	
		NOTARY PUBLIC (CLERK OR JUDGI	9	Address.		***************************************	Phone:
		,	7.50				ZID.

In accordance with 62 O.S. § 310.9

NOTE: Other terms and conditions can be added at the discretion of the county officers.

REQUIREMENTS FOR CONTRACTS-FEDERALLY ASSISTED

(These requirements only apply to be considered for <u>Federally</u> assisted projects) (County funded projects are un-effected)

All bids must include assurances that the following provisions will be complied with for a federally assisted project:

- 1. Federal Labor Standards Provisions, U.S. Department of Labor, 29 CFR Part 5; Subpart A; Davis-Bacon Act for use of the appropriate Davis-Bacon wage rates for the county and state in which the project is located, and Subpart B; Fringe Benefit Provisions. Contractors will be required to pay Davis-Bacon wage rates, current at the time that work is performed. These will be provided with the contract award documents. Weekly Payroll Reporting will be required.
- 2. HUD Section 3, 24 CFR part 75 public construction projects assisted under HUD programs that provide housing and community development financial assistance when the total amount of HUD assistance to the project exceeds a minimum funding threshold requires that to the greatest extent feasible opportunities for training and employment be provided to lower-income residents of the project area and contracts for work in substantial part by persons residing in the area of the project. Applicable to contracts in excess of \$200,000.00.
- 3. Section 109 of the Housing and Community Development Act of 1974, which assures that no person shall, on the grounds of race, color, national origin, sex, religion, age, disability, or family status be excluded from participation in, be denied the benefits of or be subject to discrimination;
- 4. Non-Segregated Facilities, assures the bidder does not maintain or provide any segregated facilities;
- 5. Equal Opportunity Provision Executive Order 11246, as amended, which assures non-discrimination;
- 6. Minority Business Enterprise and Women Business Enterprise provisions which encourage minority-owned businesses and women owned businesses to bid on the project;
- 7. Circular 570 Assurances that surety companies executing bonds appear on the Treasury Department's list and are authorized to transact business in the State where the project is located.
- 8. SAM.gov contractors must have an active registration with no exclusions in order to receive a federally assisted contract.

I acknowledge that I have read the requirements to be considered for Federally assisted projects,
and by signing agree to comply with said requirements.

Date

Six Months Bid List

District #1 (North Street - Muskogee)

- Braggs Area
- Ft. Gibson Area
- Oktaha Area
- Keefeton Area
- Gore Area
- South Summit Area

District #2 (South Cherokee Street - Muskogee)

- Webbers Falls Area
- Porum Area
- Briartown Area
- Warner Area
- Keefeton Area
- McLain Area
- North Summit Area
- East Oktaha Area (4 miles)
- Martin Area

District #3 (74th Street - Muskogee)

- Haskell Area
- Boynton Area
- Taft Area
- Wainwright Area
- Council Hill Area

Gravel:

- Crusher Run listed sizes:
 - 1/2"
 - 3/4"
 - 5/8"
 - 1"
 - 1 1/2"
 - 2"
 - 2 1/2"
 - 4"
 - 5"

Chips - listed sizes:

- 1/2"
- 3/4"
- 5/8"
- 3/8"
- Screenings (all sizes)

- Roofing Gravel
- Over Size Gravel
- Lateral Gravel
- Pit Run Gravel
- Quarry Run Stone w/fines
- Rip Rap
- Surge Rock (small rip-rap)
- Gabion Rock
- Grizzly (3-4")
- Grizzly (4-6")
- 3-1 Oversize
- Broken Brick

Crusher Clean Up

Shale

Filter

1/2"

3/4" 2"

3 1/2"

4"

Sand

- Filler Sand
- Concrete Sand

3/4" to 3/8" Cover Aggregate 3/8" to 1/2" Cover Aggregate 5/8" Cover Aggregate

1 1/2" Class A Concrete Aggregate

#57 Concrete Rock

#67 Concrete Rock

3/8" to 1/2" Cover Aggregate

4-6" Construction Rock

1 1/2" to 3/8" Concrete Gravel

3/4" Concrete Gravel

Concrete Rock (1" & down)

River Gravel

4" Bedding Rock

1/2" to 1/8" Cover

#3 Cover Material

2 1/2" Base Rock

3/4" Asphalt Rock

1/2" Asphalt Rock

QRP 2000 Asphalt

1 1/4" SABC

3/4" TBSC 1 1/2" Septic Gravel 1 1/2" C/A Field Dirt Sandstone

Hot Mix Hot Lay Asphalt Concrete
Hot Mix Cold Lay Asphalt Concrete
Type B Surface Course
Type C Surface Course
Asphalt Haul (Bid per ton hauled and per ton laid)
Minimum Haul
Asphalt Laid only

Asphalt Testing - ODOT approved mixes only (SEE EXHIBIT A)

Hauling of Road Materials

Hauling Asphalt per District

Asphalt only (per ton)

District # 1

District # 2

District #3

Asphalt + Hauled to Work Site

District #1

District # 2

District #3

Asphalt Hauled and laid in place

District # 1

District # 2

District #3

Hauling Per District to Barn's Stockpile

10-Wheeler

District # 1

District # 2

District #3

Dump Trailer

District #1

District # 2

District #3

End Dump Bed District # 1

```
District # 2
District #3
Belly Dump Bed
District # 1
District # 2
District #3
Hauling to Work Site per District
10-Wheeler
District #1
District # 2
District #3
Dump Trailer
District #1
District # 2
District #3
End Dump Bed
District # 1
District # 2
District #3
Belly Dump Bed
District #1
District # 2
District #3
Note: Each item that a bid is submitted on needs to be priced per location
delivered and pick up price for each District.
Road Signs (All Sizes)
Reflectors (Aluminum and Plastic Back)
Window Markers
Sign Post (U Posts)
T Posts
Barbed Wire
```

Fence Building - 5 wire barbed wire - Labor only - per foot

Fence Building - 5 wire barbed wire - Turn Key - per foot

Road Striping (All Districts)

Used Steel Pipe (All Sizes)

New Steel Pipe (All Sizes)

Arched Pipe (All Sizes) Riveted and Spiral (16 Gauge and 12 Gauge)

Culvert Pipe: (All Sizes)

• Riveted and Spiral (16 Gauge and 12 Gauge)

Corrugated Polyethylene Pipe (All Sizes) and Band Couplers

Hourly Labor to install drainage pipes Hourly Labor to install drainage pipes (to include driveway pipes)

Box Culverts: Culvert Only - No Labor

- 6' x 4' x 6'
- 8' x 5' x 6'
- 8' x 7' x 6'
- 10 x 5' x 6'
- 10' x 8' x 6'
- 12' x 8 x 6'
- 12' x 10' x 6'

Concrete Drainage Boxes (turnkey installed)

Culvert Installed PreCast Box (installed)

Grader Blades:

- Curved, Double
- Bevel, Pointed
- Square Ends
- Bucyrus Grader Blades

Bolts (All Sizes) Bridge Nails and Clips Bridge Clips 16 thru 30 Common Nails 40-50-60-70-80 Common Nails 60-70 Ring shank Nails

Rebar:

- 3/8"
- 1/2"
- 5/8"

Roundup Herbicide:

- 1 Gallon
- 5 Gallon
- 30 Gallon
- Active Ingredients: Isproluamone salt of Slyshosate 41.0%; Inert Ingredient 59.0% 4-pound active ingredients per gallon. 100 gallon minimum - 125gallon maximum

LUMBER:

- Lumber Shall comply to OKLAHOMA STATE STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION, 1988 EDITION
 - Southern Yellow Pine
 - Grade #2 or better
 - CCA Treated
 - Penta Treated
 - Untreated
 - #1 Piling
 - · Rough Oak
 - Douglas Fir of the Coastal Region
 - Grade Shall be #2 or better

Soil Stabilization:

- Calcium Chloride Solution
- Polymer Based Stabilizer
- Enzyme Bases Stabilizer
- · Portland Stabilizer, etc.

Liquid Calcium Chloride Solution Oil Shot in Place

Oil:

- MC-30-70 or RC-30
- MC-250-800-3000
- RC-250-800-3000
- AC 7.5
- SS-1, SS-1H, CRS-2
- CRS-2P
- Dust Oil....7000-gallon load
- 30/50 Crack Sealer
- CMS-1
- Partland

Concrete

Flowable Fill Concrete

Concrete Price Per Yard - no labor for:

- Low Water Bridge
- Head Walls

- Pipe Ends
- Box Culverts
- Road Patch
- Road Transitions
- Drive Ways
- Bridge Work
- Building Pads

Concrete Price Per Yard - plus labor to lain in place for:

- Low Water Bridge
- Head Walls
- Pipe Ends
- Box Culverts
- Road Patch
- Road Transitions
- Drive Ways
- Bridge Work
- Parking Lots

Right-of-Way Clearing - per hour - Labor & Equipment All Districts

Fuel

Tires (All sizes)

Dozer Rental (with operator) Bid size of dozer and price per hour

Complete Tree Removal - per hour

Tree Trimming - per hour

Brush Removal - per hour

Trash Pickup

Galvanized Steel Bridge Plank:

- 6 x 2 (lays 24")
- 12 ga., .105 thickness, 6.2# weight per square foot
- 10 ga., .135 thickness, 8.0# weight per square foot
- 7 ga., .170 thickness, 10.7# weight per square foot

Black Bridge Plank 6 x 2 (Lays 24"):

- 12 ga., .105 thickness, 6.0# weight per square foot
- 10 ga., .135 thickness, 7.14\$ weight per square foot
- 7 ga., .179 thickness, 10.5# weight per square foot

Gauge 10-12: ASTM Designated A570 Grade 36, Zinc coated to class G 210 per ASTM Designated A525.

Gauge 7: ASTM Designated A570 Grade 36, Zinc-coated to ASTM A123 except that the Zinc shall be applied at a rate of 2.0 Ounces per square foot total both sides.

Laid in Place Chip Seal / Seal Coat Crack Seal - All Districts

- Chip Seal Turnkey w/ Hauling
- Chip Seal Turnkey w/o Hauling
- Chip Seal Laydown & Oil Only
- Chip Seal Laydown Only

Metal Building Construction

Mowing / Brush Hog all Districts

Mowing - County Properties

Weed Eating all Districts

Weed Spraying - Districts 1 and 3 Only

Spraying - County Properties Spraying - Road

Chainsaw / Debris Removal all Districts

Water Truck all Districts

Oil Truck all Districts

Crane service all Districts

Grade-All all Districts

Ditching

Milling Machine all Districts

Pavement Recycling

Track hoe Service all Districts

Backhoe Service all Districts

Trench Service all Districts

Skid Steer Service all Districts

Loader Service all Districts

Road Reclamation - Labor Only Road Reclamation - Turnkey w/ soil stabilization

Asphalt Milling
Soil stabilization (product only)

Shouldering

Tanks & Half Tanks (price for tanks only and separate price for tanks turnkey installed)

Pipe / Tinhorn Cleaning

*****List Any Equipment Offered that is not listed.

All Road Materials must meet the Oklahoma Department of Transportation specifications. The Board of County Commissioners reserves the right to have all material independently tested to see if materials meet ODOT specifications. Any materials that fail to meet these specifications must be removed and replaced at the expense of the vendor.

Equipment Lease Options:

- Bomag
- · Sheep's Foot Packer
- Roller
- · Reclaimer, etc.

Equipment Services:

- Bomag
- Sheep's Foot Packer
- Roller
- · Reclaimer, etc.

All Inclusive Wildlife Trapping Service: Contractor shall provide the following services:

- · Year-round service regardless of weather
- County-Wide per District
- 30 hours of service per month (10 hours per district)
- Trap any type of animals requested
- Unlimited traps
- No other set-up costs
- No per animal charges

Span Bridges

Roofing

Electrical Service

Plumbing Service

HVAC Service

Spray Foam

Overhead Doors

Pipe Jetting

Towing Services

Cleaning Services

Welding Services

TABLE OF MIXTURES (HOT MIX – HOT LAY)					
Open Graded Type:	A	В	C		
Sieve Size					
1-1/2"	100				
1"	90-100				
3/4"		100			
1/2"	70-90	90-100	100		
3/8"		70-90	90-100		
No. 4	40-65	45-70	60-80		
No. 10	25-45	25-50	35-60		
No. 40	10-26	12-30	15-35		
No. 80	6-18	7-20	8-22		
No. 200	<10%	<10%	<10%		
% Total AC	3.8-6.5	4.7-7.5	5.1-7.5		
Virgin Viscosity Grade Asphalt Cement	PG-64-22	PG-64-22	PG-64-22		