

MUSKOGEE

County, Oklahoma

COUNTY PURCHASING OFFICE

400 W BROADWAY, SUITE 110

MUSKOGEE, OKLAHOMA 74401

Phone Number (918) 682-2169

Invitation to Bid

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE
RELATING TO SUBMISSION OF THIS BID.
Notarized Affidavit completions and signature required on reverse side.

Date Issued November 5th, 2025

Page 1 of 14

BID NUMBER

#39

BID CLOSING DATE AND HOUR

12/08/2025 @ 9am

REQUIRED DELIVERY DATE

(Days after award of Purchase Order)

Date of Delivery**TERMS**

--	--

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
			Muskogee County Commissioners are now accepting 6-month bids Bids will be good through 01/01/2026 - 06/30/2026 Please make sure the terms and conditions are notarized. Bids MUST be time stamped at the County Clerk's office NO later than 9:00 am 12/08/2025. Please put bid# on the outside of the sealed envelope Bids may be mailed to: Polly Irving, Muskogee County Clerk PO Box 1008 Muskogee, OK 74401 or delivered to the office at: 400 W Broadway Muskogee, OK 74401		

TERMS and CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, 400 W BROADWAY, SUITE 010
MUSKOGEE, Oklahoma, at the time and date shown on the
invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by MUSKOGEE County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until 12/08/2025 (Date) 9:00am

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say the he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _____ day

of _____, 20____ (SEAL)

Firm: _____

My commission expires _____

Signed by: _____

(Manual Signature of Undersigned)

Address: _____

Phone: _____

NOTARY PUBLIC (CLERK OR JUDGE)

Zip: _____

In accordance with 62 O.S. § 310.9

NOTE: Other terms and conditions can be added at the discretion of the county officers.

Six Months Bid List

District #1 (North Street - Muskogee)

- *Braggs Area*
- *Ft. Gibson Area*
- *Oktaha Area*
- *Keefeton Area*
- *Gore Area*
- *South Summit Area*

District #2 (South Cherokee Street - Muskogee)

- *Webbers Falls Area*
- *Porum Area*
- *Briartown Area*
- *Warner Area*
- *Keefeton Area*
- *McLain Area*
- *North Summit Area*
- *East Oktaha Area (4 miles)*
- *Martin Area*

District #3 (74th Street - Muskogee)

- *Haskell Area*
- *Boynton Area*
- *Taft Area*
- *Wainwright Area*
- *Council Hill Area*

Gravel:

- **Crusher Run – listed sizes:**
 - 1/2“
 - 3/4"
 - 5/8"
 - 1"
 - 1 1/2"
 - 2"
 - 2 1/2"
 - 4"
 - 5"

Chips – listed sizes:

- 1/2"
- 3/4"
- 5/8"
- 3/8"
- **Screenings (all sizes)**

- Roofing Gravel
- Over Size Gravel
- Lateral Gravel
- Pit Run Gravel
- Quarry Run Stone w/fines
- Rip Rap
- Surge Rock (small rip-rap)
- Gabion Rock
- Grizzly (3-4")
- Grizzly (4-6")
- 3-1 Oversize
- Broken Brick

Crusher Clean Up

Shale

Filter

1/2"
3/4"
2"
3 1/2"
4"

Sand

- Filler Sand
- Concrete Sand

3/4" to 3/8" Cover Aggregate
3/8" to 1/2" Cover Aggregate
5/8" Cover Aggregate
1 1/2" Class A Concrete Aggregate
#57 Concrete Rock
#67 Concrete Rock
3/8" to 1/2" Cover Aggregate
4-6" Construction Rock
1 1/2" to 3/8" Concrete Gravel
3/4" Concrete Gravel
Concrete Rock (1" & down)
River Gravel
4" Bedding Rock
1/2" to 1/8" Cover
#3 Cover Material
2 1/2" Base Rock
3/4" Asphalt Rock
1/2" Asphalt Rock
QRP 2000 Asphalt
1 1/4" SABC

3/4" TBSC
1 1/2" Septic Gravel
1 1/2" C/A
Field Dirt
Sandstone

Hot Mix Hot Lay Asphalt Concrete
Hot Mix Cold Lay Asphalt Concrete
Type B Surface Course
Type C Surface Course
Asphalt Haul (Bid per ton hauled and per ton laid)
Minimum Haul
Asphalt Laid only

Asphalt Testing – ODOT approved mixes only (SEE EXHIBIT A)

Hauling of Road Materials

Hauling Asphalt per District

Asphalt only (per ton)
District # 1
District # 2
District # 3

Asphalt + Hauled to Work Site
District # 1
District # 2
District # 3

Asphalt Hauled and laid in place
District # 1
District # 2
District # 3

Hauling Per District to Barn's Stockpile

10-Wheeler
District # 1
District # 2
District # 3

Dump Trailer
District # 1
District # 2
District # 3

End Dump Bed
District # 1

District # 2
District # 3

Belly Dump Bed
District # 1
District # 2
District # 3

Hauling to Work Site per District

10-Wheeler
District # 1
District # 2
District # 3

Dump Trailer
District # 1
District # 2
District # 3

End Dump Bed
District # 1
District # 2
District # 3

Belly Dump Bed
District # 1
District # 2
District # 3

Note: Each item that a bid is submitted on needs to be priced per location delivered and pick up price for each District.

Road Signs (All Sizes)

Reflectors (Aluminum and Plastic Back)
Window Markers

Sign Post (U Posts)

T Posts

Barbed Wire

Fence Building – 5 wire barbed wire – Labor only – per foot

Fence Building – 5 wire barbed wire – Turn Key – per foot

Road Striping (All Districts)

Used Steel Pipe (All Sizes)

- Poly coating

New Steel Pipe (All Sizes)

- Poly coating

Arched Pipe (All Sizes) Riveted and Spiral (16 Gauge and 12 Gauge)

- Poly coating

Culvert Pipe: (All Sizes)

- Riveted and Spiral (16 Gauge and 12 Gauge)
- Poly coating
- Round Galvanized Steel Polycoated (price per foot)
- Arched Galvanized Steel Polycoated (price per foot)

Corrugated Polyethylene Pipe (All Sizes) and Band Couplers

Hourly Labor to install drainage pipes

Hourly Labor to install drainage pipes (to include driveway pipes)

Box Culverts: Culvert Only – No Labor

- 6' x 4' x 6'
- 8' x 5' x 6'
- 8' x 7' x 6'
- 10' x 5' x 6'
- 10' x 8' x 6'
- 12' x 8' x 6'
- 12' x 10' x 6'

Concrete Drainage Boxes (turnkey installed)

Culvert Installed

PreCast Box (installed)

Grader Blades:

- Curved, Double
- Bevel, Pointed
- Square Ends
- Bucyrus Grader Blades

Bolts (All Sizes)

Bridge Nails and Clips

Bridge Clips

16 thru 30 Common Nails

40-50-60-70-80 Common Nails

60-70 Ring shank Nails

Rebar:

- 3/8"
- 1/2"
- 5/8"

Roundup Herbicide:

- 1 Gallon
- 5 Gallon
- 30 Gallon
- Active Ingredients: Isproluamone salt of Slyshosate 41.0%; Inert Ingredient 59.0% 4-pound active ingredients per gallon. 100 gallon minimum - 125-gallon maximum

LUMBER:

- *Lumber Shall comply to OKLAHOMA STATE STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION, 1988 EDITION*
 - Southern Yellow Pine
 - Grade #2 or better
 - CCA Treated
 - Penta Treated
 - Untreated
 - #1 Piling
 - Rough Oak
 - Douglas Fir of the Coastal Region
 - Grade Shall be #2 or better

Soil Stabilization:

- Calcium Chloride Solution
- Polymer Based Stabilizer
- Enzyme Bases Stabilizer
- Portland Stabilizer, etc.

**Liquid Calcium Chloride Solution
Oil Shot in Place**

Oil:

- MC-30-70 or RC-30
- MC-250-800-3000
- RC-250-800-3000
- AC 7.5
- SS-1, SS-1H, CRS-2
- CRS-2P
- Dust Oil....7000-gallon load
- 30/50 Crack Sealer
- CMS-1
- Partland

Concrete

Flowable Fill Concrete

Concrete Price Per Yard – no labor for:

- Low Water Bridge
- Head Walls
- Pipe Ends
- Box Culverts
- Road Patch
- Road Transitions
- Drive Ways
- Bridge Work
- Building Pads

Concrete Price Per Yard - *plus labor to lain in place for:*

- Low Water Bridge
- Head Walls
- Pipe Ends
- Box Culverts
- Road Patch
- Road Transitions
- Drive Ways
- Bridge Work
- Parking Lots

Right-of-Way Clearing - per hour - Labor & Equipment All Districts

Fuel

Tires (All sizes)

Dozer Rental (with operator) Bid size of dozer and price per hour

Complete Tree Removal - per hour

Tree Trimming - per hour

Brush Removal - per hour

Trash Pickup

Galvanized Steel Bridge Plank:

- 6 x 2 (lays 24")
- 12 ga., .105 thickness, 6.2# weight per square foot
- 10 ga., .135 thickness, 8.0# weight per square foot
- 7 ga., .170 thickness, 10.7# weight per square foot

Black Bridge Plank 6 x 2 (Lays 24"):

- 12 ga., .105 thickness, 6.0# weight per square foot
- 10 ga., .135 thickness, 7.14\$ weight per square foot
- 7 ga., .179 thickness, 10.5# weight per square foot

Gauge 10-12: ASTM Designated A570 Grade 36, Zinc coated to class G 210 per ASTM Designated A525.

Gauge 7: ASTM Designated A570 Grade 36, Zinc-coated to ASTM A123 except that the Zinc shall be applied at a rate of 2.0 Ounces per square foot total on both sides.

Laid in Place Chip Seal / Seal Coat Crack Seal - All Districts

- Chip Seal Turnkey w/ Hauling
- Chip Seal Turnkey w/o Hauling
- Chip Seal Laydown & Oil Only
- Chip Seal Laydown Only

Metal Building Construction

Mowing / Brush Hog all Districts

Mowing – County Properties

Weed Eating All Districts

Weed Spraying – Districts 1 and 3 Only

Spraying – County Properties

Spraying – Road

As requested

Chainsaw / Debris Removal in all Districts

Water Truck all Districts

Oil Truck all Districts

Crane services all Districts

Grade-All all Districts

Ditching

Milling Machines in all Districts

Pavement Recycling

Track hoe Service all Districts

Backhoe services all Districts

Trench Service all Districts

Skid Steer Service all Districts

Loader Services all Districts

Road Reclamation – Labor Only

Road Reclamation – Turnkey w/ soil stabilization

Asphalt Milling

Soil stabilization (product only)

Shouldering

Tanks & Half Tanks (price for tanks only and separate price for tanks turnkey installed)

Pipe / Tindhorn Cleaning

*******List Any Equipment Offered that is not listed.**

All Road Materials must meet the Oklahoma Department of Transportation specifications. The Board of County Commissioners reserves the right to have all materials independently tested to ensure they meet ODOT specifications. Any materials that fail to meet these specifications must be removed and replaced at the vendor's expense.

Equipment Lease Options:

- Bomag
- Sheep's Foot Packer
- Roller
- Reclaimer, etc.

Equipment Services:

- Bomag
- Sheep's Foot Packer
- Roller
- Reclaimer, etc.

All-Inclusive Wildlife Trapping Service: *Contractor shall provide the following services:*

- Year-round service regardless of weather
- County-Wide – per District
- 30 hours of service per month (10 hours per district)
- Trap any animals requested
- Unlimited traps
- No other set-up costs

- No per-animal charges

Span Bridges

Roofing

Electrical Service

Plumbing Service

HVAC Service

Spray Foam

Overhead Doors

Pipe Jetting

Towing Services

Cleaning Services

Guardrails

Welding Services

TABLE OF MIXTURES (HOT MIX – HOT LAY)			
Mixture:	Asphalt Concrete		
Open Graded Type:	A	B	C
Sieve Size			
1-1/2"	100		
1"	90-100		
3/4"		100	
1/2"	70-90	90-100	100
3/8"		70-90	90-100
No. 4	40-65	45-70	60-80
No. 10	25-45	25-50	35-60
No. 40	10-26	12-30	15-35
No. 80	6-18	7-20	8-22
No. 200	<10%	<10%	<10%
% Total AC	3.8-6.5	4.7-7.5	5.1-7.5
Virgin Viscosity Grade Asphalt Cement	PG-64-22	PG-64-22	PG-64-22

Septic Tanks

Revised: May 7, 2025

- Lateral lines, PVC pipe and fittings
 - Septic Chambers
- Aerobics Systems**
- Sprinklers and lines – electrical

Inspections

- Soil profiles
- Septic inspections

Asphalt Chip Seal (For Labor & Equipment only. Materials provided by County)

Labor & Equipment Spray Tack Oil Per Mile:

Labor & Equipment Spread Aggregate Per Mile:

Equipment Roller Rental Per Machine Per Mile:

REQUIREMENTS FOR CONTRACTS-FEDERALLY ASSISTED

(These requirements only apply to be considered for Federally assisted projects)

(County funded projects are un-effected)

All bids must include assurances that the following provisions will be complied with for a federally assisted project:

1. Federal Labor Standards Provisions, U.S. Department of Labor, 29 CFR Part 5; Subpart A; Davis-Bacon Act for use of the appropriate Davis-Bacon wage rates for the county and state in which the project is located, and Subpart B; Fringe Benefit Provisions. Contractors will be required to pay Davis-Bacon wage rates, current at the time that work is performed. These will be provided with the contract award documents. Weekly Payroll Reporting will be required.

2. HUD Section 3, 24 CFR part 75 - public construction projects assisted under HUD programs that provide housing and community development financial assistance when the total amount of HUD assistance to the project exceeds a minimum funding threshold requires that to the greatest extent feasible opportunities for training and employment be provided to lower-income residents of the

project area and contracts for work in substantial part by persons residing in the area of the project.
Applicable to contracts in excess of \$200,000.00.

3. Section 109 of the Housing and Community Development Act of 1974, which assures that no person shall, on the grounds of race, color, national origin, sex, religion, age, disability, or family status be excluded from participation in, be denied the benefits of or be subject to discrimination;

4. Non-Segregated Facilities, assures the bidder does not maintain or provide any segregated facilities;

5. Equal Opportunity Provision - Executive Order 11246, as amended, which assures non-discrimination;

6. Minority Business Enterprise and Women Business Enterprise provisions which encourage minority-owned businesses and women owned businesses to bid on the project;

7. Circular 570 - Assurances that surety companies executing bonds appear on the Treasury Department's list and are authorized to transact business in the State where the project is located.

8. SAM.gov – contractors must have an active registration with no exclusions in order to receive a federally assisted contract.

I acknowledge that I have read the requirements to be considered for any Federally assisted projects, and by signing agree to comply with said requirements.

X _____
Name & Title

Date