

Sold To: MUSKOGEE COUNTY DIST 3

Stewart Martin Equipment 12751 HWY 75

Okmuigee, OK 74447 Phone: 918.756.3560

www.s(ewartmartinequipment.com

Whole Goods Sales Invoice

SW0196NE

		MUSKOGEE COUNTY DIST 3		Phone	918-682-1910	0	Date: Ja	uly 11, 2023	
		901 S 74TH STREET WEST				Approximation of the last of t	esperson: A		
		MUSKOGEE	State	OK	Zlp Code:		County		
	Email:				_		•		
		Customer Pick-Up:	C	sh / Check#		1			
		Delivery:	_		-	-	nded Warr	7	
		Delivery Miles:	E	# PO :inance Term		No Ext:	1 Year:	2 Years:	
I ALLA	460								
the m), the undersigned, anufacturer and D	hereby order from Dealer the equipment desc ealer shall be under no liability if delivery of the	ribed below, to be	delivered as show	wn below. This order	r is subject to De	aler's ability to	ohtalo such Foul	noment from
10000	. a courter the bit	CE Shown below to sublement m	e Equipment is de	ayed or prevente	d due to labor distur	bance, transport	ation difficultie	s, or any reason	beyond
	co abou are sale (of the Equipment after the date of the order.	the Equipment p	nor to any change	in price by the man	ofacturer, it is a	lso subject to an	y new or increas	led taxes
Qty	New/Used	Description		Serial #			Charle H		
1	NEW	KUBOTA Z724XKW-3-54		DELIGI W			Stock#	Amo	
		COMMERCIAL GAS ZERO TURN		1	ESS STATE DISC	COLINIT	LIST 15%		2,299.00
					LOS SIAIL DISC	COOM	13%	(\$	1,844.85
					·				

IW-1	offer to sell trace	for and annual fall						-	
I DOAG	equipment, as a "	fer, and convey the following item(s) at or prior trade-in" to be applied against the cash price. So	uch itamiel chall h	a from and stone	S	ales Tax @:			\$0.00
st @11 26	ernith alterment	s, liens, and encumbrances at the time of trans	fer to you. The fol	lowing is a			Delivery		\$0.00
escnp	DDICEC LICTE	to be allowed for each item.					Cash Price	\$1	0,454.15
-	r NICES LISTE	D INCLUDE ALL APPLICABLE BONG	JSES, INCENT	IVES, AND R	EBATES	Cast	with Order		71.0 4.4.5
Qty	Make	Description		Serial#	Amount		Trade-In		\$0.00
\dashv						Total: 0	ash & Trade		\$0.00
\dashv						Unpaid (ash Balance	\$1	0,454.15
\dashv						01	her Charges		7,10 1123
\dashv							Balance Due	\$1	0,454.15
mpiete	this section when t	actors are sold. Statistics show that severity of	Trade-in A	Haven	40.00	(We) promise to execute a Time 52	bay the Balance D		
Wi#\$ #	re greatly reduced as	nd fatalities practically eliminated through use of or overturns. I have been advised and understand	Less Amou	The second secon					
at the v	ne of ROPS and a sea	or overturns, i have been advised and understand	Net Trade				Balance Due \$10,4 to pay the Balance Due shown above in car Sale Agreement (Retail Installment Contra- in, for the purchase price of the Equipment, ges shown thereon or execute a Lease Agre iny of the Equipment ordered herein. Despi- Equipment Sale about		
			IVEL ITAGE	In Allow;				temain in the sedi	espite annucl. Et until ane at
CHETUS	e of Furchaser					the foregoing is a	complished		
THA	NK VOIL - WE	ADDDECIATE VOLD DATE	-						
		APPRECIATE YOUR BUSINESS!!			Received B	•		Cate Sg	160
γ	Varranty Informa	ation: For New Equipment, please see the ner expressed or implied.	manufacturer's	warranty state	ment for details	For Head Saut			
n D	o warranties eiti ou - Drive Clear	ter expressed or implied.		,		ror osea equi	pment, Equipo	nent is rold "As	is with
1	A - DUME CHOKEN	es and Slip Clutches are not covered by m	anufacturer's w	arranty.					
		arn engaged in the husiness of little production of food or fiber as a husiness	f farming, and t	he farm machie	nery and equipme	ent I have our	hased will be	witness of sad	dian th
en	achinery and eq	lture production of food or fiber as a bush olipment free from Oklahoma sales (ax is a	ness. I am awar	e that any false	representation	nade by me in	an attempt to	purchase farm	an eccis
			o madamenta.						
N	OTICE: Equipmen	d may be equipped with telematics hardy	Nace and softw.	rn Pfolomate	"I that transmit	data to kide			
If	you wish to opt-	out of telematics, please initial here:		at receive	a Tamer Mantanut i	(4. B416)(/	1		
						T1014141:			
		WE LOOK FORWA				110.021			
		UKMULGE	E • MU3KUÚŁ	E • DIADT • DR	OKEN ARROW				

Chairman Member. Member.

Specifications

- Nodel				Control of the Contro			N CONTROL OF A CONTROL OF THE CONTRO	W. Str. Telephone as a part of the control	DA HELANDONIC COLORS
Model				A STATE OF THE STA			00		
Englas	Model					Z726XKW-60	Z723KH-48	Z724KH-54	Z725KH-60
Engine				GH	735V	GH860V	GH680V	GH730V	GH740V
	Туре					Gasoline, air-	cooled V-Twin		
	Comment of the comment	ower (Gross)	HP	23	.5*	25.5*	22.5**	23.5**	25**
	Total displac		cu. in. (cc)	44 (726)	52 (852)	42 ((694)	46 (747)
THE ADMINISTRATION OF THE STREET	Starting syst					Key s	witch		
Dimensions	Overall length		in. (mm)	7 7 7 1		83.9 ((2130)		
	Overall width	(w/ mower)	in. (mm)	61.3 (1557)	67.3 (1710)	73.8 (1875)	61.3 (1557)	67.3 (1710)	73.8 (1875)
		(w/o mower)	in. (mm)	50.4	(1280)	54.7 (1390)	50.4	(1280)	54.7 (1390)
	Overall height	(w/ ROPS upright)	in. (mm)			69.9 (1775)		,
		(w/ ROPS folded)	in. (mm)			48.3 (1226)		
Wheel base			in. (mm)			50.9 (1294)		
Tread	Front		in. (mm)			37.6	(954)		
	Rear		in. (mm)	40.2	(1020)	42.6 (1083)	40.2	(1020)	42.6 (1083)
Tire size	Front			13 × 5.0 -	6 Non flat	13 × 6.5 - 6 Non flat	13 × 5.0 -	6 Non flat	13 × 6.5 - 6 Non fl
	Rear			24 × 9	.5 – 12	24 × 12 - 12	24 × 9	.5 – 12	24 × 12 - 12
Weight (w/ mo	wer)		lbs. (kg)	1207.0 (547)	1223.0 (555)	1276.0 (579)	1212.4 (550)	1225.7 (556)	1256.5 (570)
Transmission						Parker			
Transmission	system					2 HST-2 G	rotor type		
Speed control						2 hand	levers		
Travel speed	Forward		mph (km/h)			0-11.2	(0-18)		
range	Reverse		mph (km/h)			0-5.6	(0-9)		
Brake type						Drum disks, foot	applied, release	d	
РТО	Туре				100 100 100	Belt			
	Clutch type					Electromage			
	PTO brake					Dry			
Mower deck	Model			RCK48P-723Z	RCK54P-724Z	RCK60P-725Z		BCK54P-7247	BCKEND-725
	Mower lift sys	stem		to several trouble - faunt for distance of the	4. 电影·4.5. (4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	Mecha		110110-11 7242	11011001-1252
	Mower deck t	type				Commercial fa			
	Deck depth		in. (mm)			6.0 (
	Belt type					Single			
	Deck steel thi	ickness	Ga (mm)			8 (4.			
	Anti-scalp roll	ler	, , ,			Rig			
	Cutting width	of mower	in.	48 (1219.2)	54 (1371.6)	60 (1524)	48 (1219.2)	E4 (1971 C)	60 (4504)
	Number of bla			()	01 (1071.0)	30 (1524)	,	54 (1371.6)	60 (1524)
	Cutting heigh	t				1.0 in 5.0 in. 1/			
	Mower mount								
	Blade tip spee		FPM		18100	Parallel	iinkage	10000	
Seat		()		21 2" high back		um Adiustable Cu		18600	
ngine stop sy	stem			- The High back	Joan Will Fremi	um Adjustable Si		ertical and 6" froi	nt to back trave
CAST COLL CAST NO. IN PART OF BRIDGE COLL CAST NO.			gals (Itrs)						
A Long of Marie 1 of Committee			9410. (1110.)		114 /		ARTE AGENTS AND ARTER AND AND ARTER CARRY		
	acity		Amn		U1 (1	COLUMN AS HALL THE MENT MADE IN THE		410)	
ent of the second state of the second			Mil				Control of Available Institute of the acceptant		
							ARRIVE CONTRACTOR SERVICE		
Fuel tank capa Battery Generator capa Hour meter Fuel gauge	city		gals. (Itrs.) Amp		U1 (·	Key s 11.6 (4 12V, RC: 45min, 15, Stand Electric ga	43.9) CCA: 300, CA: 4 A dard	410)	

These Kawasaki engines have been tested in accordance with SAE J1995, verified by TÜV Rheinland Group, and certified by SAE International. The gross power ratings of these engines were These Rawasaki engines have been tested in accordance with SAE 11995, verified by TOV inhermand Group, and certified by SAE international. The gross power ratings of these engines were determined by using measurements according to SAE J1995 which were witnessed by SAE. approved witnesses from TÜV Rheinland Group. Torque ratings of these engines were not certified by SAE. Actual power and torque output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions,

Kubota Tractor Corporation reserves the right to change the stated specifications without notice. This brochure is for descriptive purposes only and reasonable efforts were used to set forth the contained information; some items shown may not be available at all dealerships. Kubota disclaims all representations and warranties, express or implied, or any liability from the use of this brochure. For complete warranty, safety and product information, consult your local Kubota dealers and the operator's manual. Power (HP/KW) and other specifications are based on various standards or recommended practices. For your safety, Kubota strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications. This prochure is intended for the United States and US Iterithories only. For information regarding Kubota products or services outside those areas, see Kubota corporation's global web site. Kubota does not provide parts, warranty or service for any Product which is re-sold or retailed in any country other than the country for which the Product(s) were designed or manufactured.

©2017 Kubota Corporation



KUBOTA TRACTOR CORPORATION

1000 Kubota Drive, Grapevine, TX 76051 Tel 888-4 KUBOTA

Visit our web site at: KubotaUSA.com



^{**}Power (hp) specifications for individual gasoline engine models are rated pursuant to Society of Automotive Engineers (SAE) J1940 or J2723 based on gross output testing performed in accordance with SAE J1995 without the air cleaner and muffler. Gross engine hp will be higher than actual engine power which is affected by accessories, application, engine speed, ambient operating conditions and other factors. The gross engine horsepower information is for comparison purposes only.

EXHBIT 3

Mowers and Handheld grounds maintenance Equipment Contains: Including but not limited to

Mowers and Handheld grounds maintenance Equipment Contains: Including but not limited to

Mowers (Modium duty wide coverage and zero turn), Mowers for Golf Courses, Lawn

Indicates, Professional Zero-Turn mowers, Professional standon zero turn), Mowers for Golf Courses, Lawn

Indicates, Professional Zero-Turn mowers, Professional standon zero turn), Mowers for Golf Courses, Lawn

Indicates, Powers, Attachments & Accessories for the equipment. Options for the equipment.

Hand held grounds maintenance Equipments: Blowers, Chain Saws, chainsaws, Edgers, Trimmers, weed eaters, small leaf, Power Rakes, sod cutters, wood chip standalone mulchers, Sprayers, Sprayers, Sprayers, Mandalone tillers, Hedge trimmers,

pole saws, Pole saw

	If bidding differ	If bidding different discounts for different sizes of equipment or options, bid response must list the items. If more space needed the	response must list the items. If more	space needed the	n please add more rows	TOWS.	
Brand Name	Model	Mowers: Description	Hand Held Ground Equipments: Description	Services	Rate of services	Price Book/Catalog Date of Manufacturer's Current Published Retail Price List	Percentage off List
KUBOTA	T SERIES MOWER	RIDING LAWN MOWERS		YES	130 00 PER HR	KUBOTA PRICE BOOK	5%
КИВОТА	GR SERIES	ALL WHEEL DRIVE RIDING LAWN MOWERS		834	130 00 PER HR	4/1/2022	8%
KUBOTA	Z200 SERIES	Z KOMMANDORS ZERO TURN MOWER		YES	130 00 PER HR	130 00 PER HR KUBOTA PRICE BOOK	%01
KUBOTA	Z400 SERIES	Z KOMMANDORS PRO ZERO TURN NOWER		YES	130 00 PER HR	4/1/2022 10%	10%
KUBOTA	Z700 SERIES	Z COMMERICAL GAS ZERO TURN		YES	130 00 PER HR	130 00 PER HR KUBOTA PRICE BOOK	15%
хивота	SD MODELS	DIESEL COMMERICAL ZERO TURN		YES	30.00 PER HR	4/1/2022	15%
К ИВОТА	F SERIES	DIESEL FRONT MOUNT MOWER		YES	130 00 PER HR }	KUBOTA PRICE BOOK	20%
KUBOTA	SZ19NC-38	STAND ON LAWN MOWER		YES	130 00 PER HR	4/1/2022	7601
KUBOTA	SZ26NC-48	STAND ON LAWN MOWER		YES	130 00 PER HR	130 00 PER HR KUBOTA PRICE BOOK	%01
KUBOTA	SZ26NC-52	STAND ON LAWN MOWER		YES	2H 234 00 001	4/1/2022	301
KUBOTA	SZ26NC-61	STAND ON LAWN MOWER		YES	2H 234 00 001		%oi
STIHL	ALL STIHL EQUIPMENT		WEED EATERS, BLOWERS	YES	2H B3d 00 011	110 00 PER HR STIHL PRICE BOOK 2022	*85
STIHL	ALL STIHL EQUIPMENT		CHAIN SAWS, CONCRETE SAW	YES .	3 2H Y3d 00 041	110 CO PER HR STIHL PRICE BOOK 2022	5%
STIHL	ALL STIHL EQUIPMENT		EDGERS, HEDGE TRIMMERS	YES	3 2H 83d 00 011	110 00 PER HR STIHL PRICE BOOK 2022	%5
STIHL	ALL STIME EQUIPMENT		HAND SPRAYERS	YES	3 SH 834 00 011	110 00 PER HR STIHL PRICE BOOK 2022	5%

Extended Warranty offered? X Yes No II yes, please attach information for the extended warranty purchase. Discount offered 10 1/2

Options 10 %
Trade-ins X Available
Available

Not